

Diversity of Types of Medicinal Plants and Local Wisdom of the Kaili Tribe in Processing Medicinal Plants Around the Forest Areas of Central Sulawesi, Indonesia

Abdul Hapid^{1,*}, Ariyanti Ariyanti¹, Erniwati Erniwati¹, Ni Made Dharma Shantini Suena², Ketut Agus Adrianta³, Karnita Yuniarti⁴, Muthmainnah Muthmainnah¹

Abdul Hapid^{1,*}, Ariyanti Ariyanti¹, Erniwati Erniwati¹, Ni Made Dharma Shantini Suena², Ketut Agus Adrianta³, Karnita Yuniarti⁴, Muthmainnah Muthmainnah¹

¹Department of Forestry, Faculty of Forestry, Tadulako University, Palu, INDONESIA.

²Department of Pharmaceutics, Faculty of Pharmacy, Universitas Mahasaraswati Denpasar, Bali, INDONESIA.

³Department of Pharmacology and Clinical Pharmacy, Faculty of Pharmacy, Universitas Mahasaraswati Denpasar, Bali, INDONESIA.

⁴Research Center for Biomass and Bioproduct, National Research and Innovation Agency of Indonesia, INDONESIA.

Correspondence

Abdul Hapid

Department of Forestry, Faculty of Forestry, Tadulako University, Palu, INDONESIA.

E-mail: hafid.untad@gmail.com

History

- Submission Date: 01-05-2023;
- Review completed: 27-05-2023;
- Accepted Date: 10-06-2023.

DOI : 10.5530/pj.2023.15.115

Article Available online

<http://www.phcogj.com/v15/i4>

Copyright

© 2023 Phcogj.Com. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International license.

ABSTRACT

The forest area in Sigi Regency, Central Sulawesi, is a habitat for various medicinal plant species. Forest areas must be managed appropriately for the local community and society's welfare and sustainable use. One of the local people living around the forest is the Kaili tribe. The local wisdom of the Kaili tribe, who inhabit forest areas in Central Sulawesi, in managing forests and forest products, especially using plants as medicine, must be documented in research. This study aimed to identify the species, habitat, habitus, and ways of using the plant as medicine by the Kaili people in the Sigi Regency.

Prior to data collection, a literature study was conducted to obtain information regarding the condition of the research location around the forest area and the ethnic/ethnic groups who live permanently around and within the forest area. This stage was then followed by interviews and field surveys. The interviews were conducted by combining purposive sampling and snowball methods.

The results showed the high potency of medicinal plants around forest areas used by the Kaili tribe, with the discovery of 113 species in 51 families. Herbs are the most common habitus of medicinal plants. The habitat of medicinal plants is mainly found in the yard. The most used plant part is the leaves, which can be boiled in water and drunk directly.

Key words: Kaili tribe, Local knowledge, Medicinal plants, Species diversity.

INTRODUCTION

Indonesia, located on the equator, is a mega biodiversity country. It has a unique tropical rain area in which various plants have the potential as raw materials for medicine.^{1,2} Indonesia's forest is one of the biodiversity centers in the world, and Indonesia is the third place out of seventeen countries called the Megadiversity Country.³⁻⁵ Indonesia's forest is home to thousands of flora and fauna species, many of which are endemic to Indonesia.⁶ The forest has direct and indirect benefits that are widely recognized.⁷ The immediate benefits of forests are the production of wood and non-timber. In contrast, the indirect benefits include regulators of microclimates, water management, soil fertility, and sources of germplasm which are very important for human life.² The forest also plays an essential role, as carbon sinks and emitters, in the context of climate change.⁸

Forests are also inhabited by various species of animals and plants that provide food and medicine for those nearby.⁹ Indonesia's tropical forest consists of multiple ecosystems, having more than 239 species of food plants and more than 2,039 species of medicinal plants.¹⁰ Every tropical forest ecosystem in Indonesia is a factory for the diversity of medicinal plants, formed by evolution over a very long time, including interacting with the socio-culture of the surrounding local community.² Each individual from a population of medicinal plants that grow naturally in each type of forest ecosystem

is the most minor and original factory producing various unique bioactive ingredients, most of which are not accessible and expensive for humans to imitate.^{11,12}

Indonesia's natural forests and culture, traditional knowledge, and local wisdom of indigenous tribes surrounding the forest ecosystems are precious national's treasures for forest conservation and the development of the nation's health.¹⁰ Traditional knowledge that grows in and is well managed between generations of the indigenous tribes living in and around forests is an unified whole that complements the biological resources and, therefore, must be preserved.¹² Previous ethnophytomedical and ethnobotanical studies conducted by Indonesian researchers have identified that there are at least 78 species of medicinal plants used by 34 ethnic groups to treat malaria, 133 species of medicinal plants to treat fever by 30 ethnic groups, 110 species of medicinal plants to treat disorders digestion by 30 ethnic groups and 98 species of medicinal plants used to treat skin diseases by 27 ethnic groups.^{12,13}

One of the areas in Indonesia, which has a large forest area, and many traditional communities, is Central Sulawesi. This region is a vast one in Indonesia because, biogeographically, it is the heart of Sulawesi Island and is included in the Wallacea region. Hence, this region has high biodiversity and species endemism.^{2,14}

Central Sulawesi is also inhabited by various local communities who live around and even in forest

Cite this article: Hapid A, Ariyanti A, Erniwati E, Suena NMDS, Adrianta KA, Yuniarti K, et al. Diversity of Types of Medicinal Plants and Local Wisdom of the Kaili Tribe in Processing Medicinal Plants Around the Forest Areas of Central Sulawesi, Indonesia. *Pharmacogn J.* 2023;15(4): 535-540.

areas. The potential of Central Sulawesi, where most of its territory is included in the forest area and has an excellent opportunity to be developed, is its high biodiversity of medicinal plants and the local wisdom of the people living around the forest area.^{4,15,16} People living around and in forest areas have local wisdom in utilizing plants, particularly medicinal ingredients. Local wisdom knowledge on the use of medicinal plants, which includes the habitat, habitus, identification of plant species, parts used, and how to use it as medicine to its medicinal properties, is a high-value knowledge passed down from one generation to the next. The current problem is that most traditional knowledge is not well documented yet.^{2,17,18}

The loss of local wisdom knowledge could potentially lead to the loss of several plant species due to the community's unawareness of the benefits and role of those plant species in human life.² Therefore, the local wisdom of the people living around Central Sulawesi's forest areas in managing forests and forest products, especially using plants as medicine, must be investigated and well documented. Another reason to preserve the knowledge is to support the sustainable use of biological natural resources, particularly non-timber forest products. Many think medicinal plants or traditional medicine are safer than synthetic drugs. Therefore, support from various parties is required to scientifically reveal the use of several plants as medicinal ingredients, the types of medicinal plant species, and the active compounds in the plants. Thus, the study objectives were to: (i) reveal, analyze and synthesize local knowledge of the local community around and in the forest in utilizing medicinal plants; and (ii) obtain data on the diversity of medicinal plant types used by locals in Central Sulawesi.²

MATERIALS AND RESEARCH METHODS

This research was conducted in the Sigi Regency, Central Sulawesi forest area. The plant samples collected from the forest were identified at Tadulako University Celebence Herbarium. Data was collected through an exploratory survey, followed by a literature study activity, interviews, and field surveys.²

The literature study was carried out to obtain early information regarding the conditions of the research location, mainly the villages around the forest area and ethnic groups/tribes living around and in the forest area. Based on this information, the villages used as research location was then determined.¹¹

The interviews in this study were conducted by combining purposive sampling and snowball methods. The first interview was conducted to determine the key respondent (key person) with specific criteria following the research objectives. The key respondents, who met the required criteria, were obtained based on the recommendations from the local service office of forestry and traditional leaders. Respondents were determined using the snowball method, in which the interview was stopped when the collected data and information showed no additional information.²

Field observation aimed to evaluate and validate the categories of medicinal plants identified through interviews. Observations were conducted by walking without plot boundaries and conducting direct observations in the field with respondents or guides.^{2,19} The Celenbence Herbarium at Tadulako University was created to identify the medicinal plants the local community uses in the surrounding forest area.

RESULTS AND DISCUSSION

Medicinal plants species and local's wisdom utilization

The information on the variety of medicinal plant species and the Kaili tribe's local wisdom in plant utilization was extracted from interviews with research respondents (the community who know about the medicinal plants, shamans (Sando), community leaders, and traditional leaders). The list of species, including local names, scientific names, families, and uses, is presented in Table 1. The results showed that the Kaili tribe frequently uses about 113 species of medicinal plants from approximately 51 families (Table 1). Besides medicinal purposes, some plants are also used for other purposes, such as bamboo production, natural pesticides, and aromatics.

The diversity of medicinal plants utilized by the Kaili tribe based on habitus

The habitus of medicinal plants is the general form of these medicinal plants. The habitus of medicinal plants in and around forest areas consists of plants, trees, shrubs, lianas, epiphytes, parasites, and bamboo. Herbaceous habitus had the highest percentage of 54.87% or 62 species of medicinal plants. It was followed by trees, shrubs, bushes, lianas, epiphytes, parasites, and bamboo with percentages, respectively, of 21.24% (14 species), 9.73% (11 species), 6.19% (6 species), 5.31% (6 species), 0.88% (1 species), 0.88% (1 species), 0.88% (1 species).




Figure 1: The percentage of medicinal plants based on their habitus

Table 1: Diversity of medicinal plant species and local wisdom of the Kaili tribe in their use.

Nu.	Local Name	Species	Family	Use/Benefit
1	Kapasan	<i>Abelmoschus moschatus</i> [L.] Medic	Malvaceae	Maternity process
2	Uru	<i>Elmerrillia ovalis</i> (Miq) Dandy	Maqnoiaceae	Cosmetics, Fever
3	Ambarogo	<i>Cordia corymbosa</i> Miq.	Boraginaceae	Stomachache
4	Balacai	<i>Jatropha curcas</i> L.	Euphorbiaceae	Stomatitis, Cuts
5	Bambu batu	<i>Dendrocalamus strictus</i> (Roxb)	Poaceae	Jaundice
6	Bayam duri	<i>Amaranthus spinosus</i> L.	Amaranthaceae	Constipation
7	Benalu	<i>Scurrula artopurpurea</i>	Loranthaceae	Tumor, Vomiting blood/Hematemesis
8	Bila	<i>Crecentia cujete</i> L.	Bignoniaceae	Hernia
9	Bolu bua	<i>Piper betle</i> L.	Piperaceae	Body odor, Halitosis, Leukorea
10	Bolu karuke	<i>Piper retrofractum</i> Vahl.	Piperaceae	Toothache
11	Bolu Lasu	<i>Piper majusculum</i> Blume.	Piperaceae	Viagra
12	Bolu Tana	<i>Piper</i> sp.	Piperaceae	Body odor, Halitosis
13	Bunga pagoda	<i>Clerodendron japonicum</i>	Lamiaceae	Abscesses
14	Cakar Ayam	<i>Selaginella</i> sp.	Selaginellaceae	Fever, Anti-cancer
15	Daun rusuk	<i>Amydrium Zippelianum</i>	Araceae	Sore ribs
16	Daun sendok	<i>Plantago asiatica</i>	Plantaginaceae	Prostate, Appendix, Hernia
17	Gamal	<i>Gliricidia sepium</i> (jacq) Kunth	Fabaceae	Minor cuts, Headache
18	Gedi	<i>Abelmoschus manihot</i> (L.) Medicus	Malvaceae	Kidney, Maternity process
19	Gonato	<i>Clerodendrum</i> sp.	Lamiaceae	Worm infection
20	Pomempe	<i>Imperata cylindrica</i>	Poaceae	Supplement
21	Hipodo Walo	<i>Curanga fel-ferrae</i> (Lour.) Merr.	Linderniaceae	Internal disease
22	Jambu batu	<i>Psidium guajava</i> Linn.	Myrtaceae	Diarrhea
23	Jeruk Bali	<i>Citrus maxima</i> Merr.	Rutaceae	Diabetes
24	Kalebou	<i>Hibiscus tiliaceus</i> L.	Malvaceae	Bronchitis
25	Kanuna	<i>Cordia myxa</i> L.	Boraginaceae	Cuts
26	Kaporontomat	<i>Apium graveolens</i> L.	Apiaceae	Pertussis
27	Kapumpu	<i>Ocimum basilicum</i> L.	Lamiaceae	Headache, Wound
28	Kayu Manuru	<i>Senna alatta</i> L.	Fabaceae	Skin fungus diseases
29	Keladi bunga	<i>Syngonium podophyllum</i>	Araceae	Centipede and Snakebite antidote
30	Kelor	<i>Moringa oleifera</i> Lamk.	Moringaceae	High fever, Diabetes
31	Kondouwe	<i>Spilanthes paniculata</i> Wall. b DC	Asteraceae	Toothache
32	Kopi arabika	<i>Coffea canephora</i> Pierre	Rubiaceae	Hypertension
33	Kujadi	<i>Kalanchoe pinnata</i> Pers.	Crassulaceae	Abscesses
34	Kumis Kucing	<i>Orthosiphon aristatus</i> (Bl.) Miq.	Lamiaceae	Urolithiasis
35	Kurondo	<i>Zingiber zerumbet</i> (L.) Roscoe ex Sm	Zingiberaceae	Filariasis
36	Labu kuning	<i>Cucurbita moschata</i> D.	Cucurbitaceae	Eye disease
37	Lamba	<i>Nicotiana tabacum</i> L.	Solanaceae	Halitosis
38	Lambantomate	<i>Elephantopus mollis</i> Kunt.	Asteraceae	Stroke
39	Langalo	<i>Glinus oppositifolia</i> (L.) DC	Molluginaceae	Urolithiasis
40	Languntule	<i>Drymaria cordata</i> (L.) Willd ex Schult	Caryophyllaceae	Diabetes
41	Lasuani	<i>Amaranthus lividus</i> L.	Amaranthaceae	Headache, <i>Possessed</i>
42	Lekosa	<i>Pollia secundiflora</i> (Bl.) Back	Commelinaceae	Swollen foot
43	Lelompeba	<i>Dysophylla auricularia</i> (L) Blume	Lamiaceae	Pertussis
44	Lengaru	<i>Alstonia scholaris</i> R.Br.	Apocynaceae	Malaria, Internal injures
45	Levonu	<i>Ficus septica</i> Burm. F.	Moraceae	Eye infection
46	Mapo	<i>Maccaranga hispida</i> (Blume) Muell.	Euphorbiaceae	Papilloma
47	Matesambula	<i>Cassia</i> sp.	Fabaceae	Epilepsy
48	Mayana	<i>Coleus scutellarioides</i> Bth.	Lamiaceae	Cough, Internal diseases
49	Mpo Mata	<i>Bryophyllum pinnatum</i> (Lam.) Oken	Crassulaceae	Abscesses
50	Legetan	<i>Synadrella nodiflora</i> (L.) Gaertn	Asteraceae	Rabies
51	Bendot	<i>Dichrocephala integrifolia</i> (L.f)	Asteraceae	<i>Possessed</i> , Worm treatment
52	Ruku-ruku	<i>Hyptis suaveolens</i> (L.) Poir.	Lamiaceae	Tinea pedis
53	Sangitan	<i>Sambucus javanica</i> Reinw	Adoxaceae	Acne treatment
54	Papaya	<i>Carica papaya</i> L	Caricaceae	Hypertension, Worm treatment
55	Nura	<i>Begonia aptera</i> Blume	Begoniaceae	Worm treatment
56	Pada	<i>Eleusine indica</i> (L.) Gaertn	Poaceae	Uterus strengthening
57	Palola Bua	<i>Luffa cylindrical</i> Roem	Cucurbitaceae	Swollen stomach
58	Pancihinana	<i>Scindapsus pictus</i> Hassk	Araceae	Skin fungus

Nu.	Local Name	Species	Family	Use/Benefit
59	Pancsilana lida	<i>Sporobulus diandrus</i> (Retz) P.Beauv.	Poaceae	Cosmetics
60	Pancsilana lore	<i>Merremia umbellata</i> (L.) Hallier f.	Euphorbiaceae	Cosmetics (mole on the face)
61	Pancongkolangi	<i>Centella asiatica</i> L. (Urb.)	Fabaceae	Tuberculosis
62	Panuntu	<i>Phyllanthus urinaria</i> L.	Lamiaceae	Kidney, Urolithiasis
63	Paparisipa	<i>Cyperus killingia</i> Endl.	Crassulaceae	Possessed
64	Paralente	<i>Ageratum conyzoides</i> L.	Asteraceae	Cuts, step
65	Parancina	<i>Solanum lycopersicum</i> L.	Asteraceae	Fever, Burns
66	Paria	<i>Momordica charantia</i> L.	Lamiaceae	Cough, Fever, Ulcer
67	Pasolonteneru	<i>Equisetum debile</i> Roxb.Ex Vaucher	Equisetaceae	Broken ribs, Muscle strain
68	Penesilin	<i>Jatropha mutifida</i> L.	Euphorbiaceae	Cuts, Stomatitis
69	Pia topoule	<i>Eleutherina bulbosa</i> (Mill.) Urb.	Iridaceae	Heart disease, Hemorrhoid
70	Pinahong	<i>Anredera cordifolia</i> (Ten.) Steenis	Basellaceae	Tumor, Hypertension
71	Posuntikala	<i>Elingera elatior</i> (Jack) R.M. Sm.	Zingiberaceae	Gout
72	Puroo	<i>Eclipta prostata</i> (L.) L.	Asteraceae	Umbilical treatment
73	Putri Malu	<i>Mimosa pudica</i> L.	Leguminosae	Heatiness, Insomnia
74	Sakimalei	<i>Amphineuron</i> sp.	Thelypteridaceae	Fever and Rashes
75	Sampularo	<i>Murdannia blumei</i> (Hassk.)	Commelinaceae	Face's mole
76	Sarang Semut	<i>Myrmecodia</i> sp.	Rubiaceae	Ulcer, Hypertension
77	Silaguri	<i>Sida rhombifolia</i> L.	Malvaceae	Infection, Teeth treatment
78	Simulasi	<i>Euphorbia hirta</i> L.	Euphorbiaceae	Appendix
79	Sinduru	<i>Melastoma candidum</i> D.Don	Melastomataceae	Abscesses, Nosebleed
80	Sirsak	<i>Annona reticulata</i> L.	Annonaceae	Kidney, Hypertension
81	Susupi	<i>Bidens pilosa</i> L.	Asteraceae	Post-maternity treatment, Cough
82	Taba	<i>Cordylin fructifosa</i> A.Chev.	Asparagaceae	TBC
83	Tambajarabung	<i>Hyptis capitata</i> Jack.	Lamiaceae	Kidney, Liver
84	Kau Jawa	<i>Lannea coromandelica</i> Merr.	Anacardiaceae	Hepatitis and Diabetes
85	Tambuang kebe	<i>Senna tora</i> L. (Roxb)	Fabaceae	Melena
86	Tampe	<i>Physalis angulata</i> L.	Solanaceae	Hypertension
87	Tatari	<i>Scleria purpurelens</i> Steud.	Cyperaceae	Kidney
88	Tavalevo	<i>Piper umbellatum</i> L.	Piperaceae	Erectile dysfunction
89	Tave Lehoka	<i>Comelina diffusa</i> Burm. f.	Commelinaceae	Gout
90	Tave hikonco	<i>Ficus stipulare</i> L.	Moraceae	Jaundice
91	Tavovi	<i>Ipomoea batatas</i> (L.) Poir	Convolvulaceae	Skin diseases
92	Tintiase	<i>Cheilocostus speciosus</i>	Marattiaceae	Fever
93	Tombila	<i>Angiopteris evecta</i> (G Forst) Hoffm	Urticaceae	Rabies
94	Tombu	<i>Poikilospermum suaviolen</i> (Bl.) Merr	Rubiaceae	Breast cancer
95	Towote	<i>Anthocephalus chinensis</i> (Lam.) C.	Cyperaceae	Malaria, Internal injuries
96	Voluntile	<i>Eleocharis artopurpurea</i> Retz. Presl.	Asteraceae	Postpartum treatment
97	Wavaro	<i>Crassocephalum crepidioides</i> (Benth)	Asteraceae	Cuts
98	Wingkotu	<i>Erigeron sumatraensis</i> Retz.	Marattiaceae	Leprosy
99	Manggarada	<i>Acmeilla ciliate</i> (Kunth) Cass	Asteraceae	Toothache
100	Roviga	<i>Calotropis gigantea</i>	Apocynaceae	Stomatitis, Measles
101	Varo-Varo	<i>Cyantjilium cinereum</i> (L) H.Rob.	Asteraceae.	Cough
102	Kayu Hitam	<i>Dyospyros celebica</i> Bakh	Ebenaceae	Internal diseases
103	Kamboja Putih	<i>Plumeria alba</i> .	Apocynaceae	Breast cancer
104	Una-Una	<i>Piper aduncum</i> L	Piperaceae	Skin diseases (Itching)
105	Titilu	<i>Tacca palmate</i> Blume	Taccaceae	Acne and Ulcer
106	Parada	<i>Chromolaena odorata</i> (L.)	Asteraceae	Minor cuts
107	Palio	<i>Cinnamomum parthenoxylon</i>	Lauraceae	Malaria
108	Wintonu	<i>Melochia umbellate</i>	Sterculiaceae	Bronchitis
109	Jati	<i>Tectona grandis</i>	Lamiaceae	Skin diseases (Itching)
110	Samundu	<i>Polyscias nodosa</i> (Bl.) Seem	Araliaceae	Cancer
111	Tintiaye	<i>Elephantopus scaber</i> L	Asteraceae	Nail diseases
112	Siguntu lele	<i>Synedrella nodiflora</i> (L) Gaertn	Asteraceae	Arthritis, Gout
113	Marangkapi	<i>Oreocnide rubescens</i> (Blume) Miq	Urticaceae	Breast tumor




Figure 2: Diagram of the percentage of medicinal plants based on utilized organ




Figure 3: Different utilization modes of medicinal plants by the Kaili tribe

species), 0.88% (1 species), 0.88% (1 species), and 0.88% (1 species) (Figure 1).

Medicinal plants based on the plant parts used by the Kaili tribe

The plant parts used as traditional medicine by the Kaili tribe around the forest area are very diverse. Based on the interview, 11 parts were frequently employed: the leaves, bark, stems, fruits, buds, the tender core of the plant's trunk (*umbut*), tuberous roots, and shoots, and several plants were used entirely as medicine. The plant part with the highest use frequency was the leaves (60.18%), followed by all parts (17.7%), bark (4.42%), stems (4.42%), fruits (3.54%), and others (flowers, roots, buds, *but*, and tuberous roots) with each of them was below 3% (Figure 2).

The high usage of leaves as medicinal material, compared to other plant parts, is due to several reasons. The leaves are utilized frequently since they can be processed and collected faster and more optimally than other parts.¹¹ The leaf collection also prevents the disruption of other parts since they can re-grow and be continuously utilized.

Several former studies also indicated similar findings. The most common parts of medicinal plants used in Afghanistan were the leaves, stems, flowers, roots, seeds, bark, and tubers.²⁰ In Uganda, 15 (fifteen) plant parts were utilized for traditional medicine, such as the leaves, roots, bark, fruits, all parts, stems/wood, seeds, flowers, sap, buds, leaves/shoots, rhizomes, tuber, branches/twigs, water in banana stem fiber, and the tender core of the plant's trunk (*umbut*). Of those 15 parts, the leaves were the most used (749 species (33.50%)), and *umbut* was the least part of the plant used as traditional medicine.²¹ Recent studies on medicinal plants from the heath forest in Belitung also showed leaves as the dominant plant parts used for medicinal purposes.²⁵

Utilisation modes of medicinal plants by the Kaili tribe

Local communities use the specific plants as a medicine around forest areas in various ways, such as drinking, rubbing, sticking, fresh eating, dripping, mixing powder, and gargling (Figure 3). The most widely used mode in medicinal plants is boiling the plants in water and drinking the solution directly. This mode is affordable, simple, and utilized for approximately 54.87% of 113 species is 62 species, not 64.

Direct rubbing and application/sticking on the injured body part are used for 21.24% and 15.93% of medicinal plants, respectively. A rare technique, gargling, is used for one plant species (or 0.88%) which is *Acmella ciliata* (Kunth) Cass. Similar findings were observed in several other regions in Indonesia.²²⁻²⁵

CONCLUSIONS

The potential medicinal plants utilized by the Kaili Tribe, who live around forest areas, is high, indicated by the discovery of 113 species. These species are also found in the yard with the most heightened plant habitus. The leaves are the most used plant part, generally boiled in water and consumed.

REFERENCES

1. Zulkaidhah Z. The diversity of termite species on natural forest and agroforestry land in Sulawesi tropical forests in Indonesia. *Ann Silv Res.* 2021;46:141-7.
2. Hapid A, Napitupulu M, Zubair MS. Ethnopharmacology and antioxidant activity studies of woody liana original wallacea. *Int J Design Nat Ecodyn.* 2021;16:495-503.
3. Zulkaidhah Z. Soil Macrofauna Diversity and Litter Decomposition Rate in the Buffer Zone of Lore Lindu Biosphere Reserve Indonesia. *Int J Design Nat Ecodyn.* 2022;17:753-60.
4. Hapid A, Ramlah S. Potensi Tumbuhan Obat Di Kawasan Hutan Taman Nasional Lore Lindu (Studi Kasus Desa Namu Kecamatan Kulawi, Kabupaten Sigi). *ForestSains.* 2016;14:24-32.
5. Hapid A, Napitupulu M, Zubair MS. Phytochemical Screening, GC-MS Analysis, Toxicity and Antimicrobial Properties of Extracts Outer Shell *Poikilospermum suaveolens* (Blume) Merr. *Int J Res Innov Appl Sci.* 2021;6:111-7.
6. Fujii K. Plant-soil interactions maintain biodiversity and functions of tropical forest ecosystems. *Ecol Res.* 2018;33:149-60.
7. Harrison ME. Tropical forest and peatland conservation in Indonesia: Challenges and directions. *People Nat.* 2020;2:4-28.
8. De Frenne P. Forest microclimates and climate change: Importance, drivers and future research agenda. *Glob Chang Biol.* 2021;27(11):2279-97.
9. Maruca G, Spampinato G, Turiano D, Laghetti G, Musarella CM. Ethnobotanical notes about medicinal and useful plants of the Reventino Massif tradition (Calabria region, Southern Italy). *Genet Resour Crop Evol.* 2019;66:1027-40.
10. Zuhud EAM. Potensi hutan tropika Indonesia sebagai penyangga bahan obat alam untuk kesehatan bangsa. *J Bahan Alam Indon.* 2009;6:227-32.
11. Hapid A. Kajian Etnofarmakologi Dan Bioaktivitas Tumbuhan Obat Liana Berkayu Di Sekitar Taman Nasional Lore Lindu. (Tadulako University, 2021). 2021.
12. Susanti R, Zuhud EAM. Traditional ecological knowledge and biodiversity conservation: the medicinal plants of the Dayak Krayan people in Kayan Mentarang National Park, Indonesia. *Biodiversitas.* 2019;20:2764-79.
13. Astutik, Pretzsch, Kimengsi N. Asian Medicinal Plants' Production and Utilization Potentials: A Review. *Sustainability.* 2019;11:5483.
14. Clough Y. Biodiversity patterns and trophic interactions in human-dominated tropical landscapes in Sulawesi (Indonesia): plants, arthropods and vertebrates. *Env Sci Eng.* 2010.
15. Roosita K, Kusharto CM, Sekiyama M, Fachruruzi Y, Ohtsuka R. Medicinal plants used by the villagers of a Sundanese community in West Java, Indonesia. *J Ethnopharmacol.* 2008;115(1):72-81.
16. Alsarhan A, Sultana N, Kadir MRA, Aburjai T. Ethnopharmacological survey of medicinal plants in Malaysia, the Kangkar Pulai region. *Int J Pharmacol.* 2012;8:679-86.
17. Güneş S, Savran A, Paksoy MY, Koşar M, Çakılıoğlu U. Ethnopharmacological survey of medicinal plants in Karaisalı and its surrounding (Adana-Turkey). *J Herb Med.* 2017;8:68-75.
18. Cakılıoğlu U, Khatun S, Turkoglu I, Hayta S. Ethnopharmacological survey of medicinal plants in Maden (Elazığ-Turkey). *J Ethnopharmacol.* 2011;137(1):469-86.
19. Herawati L, Yuniati E. Kajian Etnobotani Tumbuhan Obat Masyarakat Etnik Lauje di Desa Tomini Kecamatan Tomini Parigi Mautong Sulawesi Tengah. *Biocelebes.* 2014;8.
20. Kassam KA, Karamkhudoeva M, Ruelle M, Baumflek M. Medicinal Plant Use and Health Sovereignty: Findings from the Tajik and Afghan Pamirs. *Hum Ecol.* 2010;38(6):817-29.
21. Tugume P. Ethnobotanical survey of medicinal plant species used by communities around Mabira Central Forest Reserve, Uganda. *J Ethnobiol Ethnomed.* 2016;12:5.
22. Hartanto S, Sofiyanti N. Studi etnobotani famili Zingiberaceae dalam kehidupan masyarakat lokal di Kecamatan pangean kabupaten kuantan singingi, Riau. *Biosaintifika: J Biol Biol Educ.* 2014;6:98-108.
23. Oktavia D, Pratiwi SD, Munawaroh S, Hikmat A, Hilwan I. The potential of medicinal plants from heath forest: Local knowledge from Kelubi Village, Belitung Island, Indonesia. *Biodiversitas.* 2022;23:3553-60.
24. Irsyad MN, Jumari J, Murningsih M. Studi Etnobotani Masyarakat Desa Sukolilo Kawasan Pegunungan Kendeng Pati Jawa Tengah. *Bioma: Berkala Ilmiah Biologi.* 2013;15:27-34.
25. Zulfiani Z, Yuniati E, Ramadhanil R. Kajian Etnobotani Suku Kaili Tara di Desa Binangga Kecamatan Parigi Tengah Kabupaten Parigi Moutong Sulawesi Tengah. *Biocelebes.* 2013;7.

Cite this article: Hapid A, Ariyanti A, Erniwati E, Suena NMDS, Adrianta KA, Yuniarti K, et al. Diversity of Types of Medicinal Plants and Local Wisdom of the Kaili Tribe in Processing Medicinal Plants Around the Forest Areas of Central Sulawesi, Indonesia. *Pharmacogn J.* 2023;15(4): 535-540.